

IN THE CLAIMS:

1. (Currently Amended) A portable tray for use at multiple locations of the interior of a vehicle comprising:

a body adapted to be operatively supported to the interior of the vehicle and defining at least one substantially planar work surface; and

a spring-biased dowel integrally and unitarily connected to said body and adapted to removably support said body to a pair of opposed, spaced structural components of the interior of the vehicle such that said tray can be manually moved and used at various locations within the interior of the vehicle;

wherein said spring-biased dowel extends at and along an edge of said body and is adapted to be disposed between and in contacting relationship with the structural components and apply a retaining force in opposite directions with respect to the disposition of said spring-biased dowel and against the structural components such that said body is operatively supportable to the interior of the vehicle in cantilevered and stationary fashion and wherein said body includes at least one leg extending from said body and adapted to be supported against at least one structural component of the interior of the vehicle such that said tray is operatively supportable against the interior of the vehicle in non-cantilevered and stationary fashion.

2 – 14. (Cancelled)

15. (Original) A portable tray as set forth in claim 1, wherein said body includes a pair of spaced and substantially parallel and co-extensive planar surfaces and an edge extending between said planar surfaces and disposed about the periphery thereof.

16. (Original) A portable tray as set forth in claim 15, wherein at least one of said pair of planar surfaces defines a raised edge disposed about at least a portion of said planar surface and adapted to retain articles on said planar surface.

17. (Original) A portable tray as set forth in claim 15, wherein at least one of said pair of planar surfaces includes at least one clip attached thereto for holding articles.

18. (Original) A portable tray as set forth in claim 1, wherein said body is adapted to removably mount a cellular telephone.

19. (Original) A portable tray as set forth in claim 18, wherein said body defines a recess within said body adapted to removably mount the cellular telephone.

20. (Cancelled)

21. (Currently Amended) A vehicle comprising:
an interior of said vehicle including a plurality of structural components; and
a portable tray for use at multiple locations of said interior, said tray including:
a body adapted to be operatively supported to said interior and defining at least one substantially planar work surface; and
a spring-biased dowel integrally and unitarily connected to said body and adapted to removably support said body to a pair of opposed, spaced structural components of said plurality of

structural components such that said tray can be manually moved and used at various locations within said interior;

wherein said spring-biased dowel extends at and along an edge of said body and is adapted to be disposed between and in contacting relationship with said pair of structural components and apply a retaining force in opposite directions with respect to the disposition of said spring-biased dowel and against said pair of structural components such that said body is operatively supportable to said interior in cantilevered and stationary fashion and wherein said body includes at least one leg extending from said body and adapted to be supported against at least one of said plurality of structural components such that said tray is operatively supportable against said interior in non-cantilevered and stationary fashion.